



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Schnellbrünierung

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Remark

UFI: M61D-H1V2-P00Y-C45U

Recommended intended purpose(s)

Black finishing of metal surfaces

1.3. Details of the supplier of the safety data sheet

Manufacturer

F.W.Klever
Hauptstraße 20, D-84168 Aham
Phone +49 (0) 8744 96 99 10, Fax + 49 (0) 8744 96 99 96
E-Mail info@ballistol.de
Internet www.ballistol.de

Advice

Qualitätssicherung
Phone +49 (0) 8744 96 99 80
E-mail (competent person):
info@ballistol.de

1.4. Emergency telephone number

Emergency advice

Dr.Zettler (Werktags von 8.00 Uhr bis 16.00 Uhr)
Phone +49 (0) 8744 96 99 80
This number is only available at office times.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Skin Corr. 1A	H314	
---------------	------	--

! Hazard statements for physical hazards

H290	May be corrosive to metals.
------	-----------------------------

Hazard statements for health hazards

H302 + H332	Harmful if swallowed or if inhaled.
H314	Causes severe skin burns and eye damage.

! Hazard statements for environmental hazards

H411	Toxic to aquatic life with long lasting effects.
------	--

! Additional hints

Reduced labelling for package sizes < = 125 ml : H290 and H411 is omitted.

2.2. Label elements



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS05



GHS07



GHS09

Signal word

Danger

Hazard statements for physical hazards

H290 May be corrosive to metals.

Hazard statements for health hazards

H302 + H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

Hazard statements for environmental hazards

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

General

P102 Keep out of reach of children.

Prevention

P280 Wear protective gloves//eye protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 BEI KONTAKT MIT DEN AUGEN: Einige Minuten behutsam mit Wasser ausspülen.

P310 Immediately call a POISON CENTER/doctor.

P353 Rinse skin with water/shower.

Storage

P405 Store locked up.

Disposal

P502 content/container of problem waste disposal.

Hazardous ingredients for labeling

Nitric Acid, Selenium Dioxide

2.3. Other hazards

No information available.

SECTION 3: Composition/ information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Hazardous ingredients

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
7697-37-2	231-714-2	nitric acid ... %	< 2	Ox. Liq. 2, H272 / Skin Corr. 1A, H314



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

Hazardous ingredients (continued)

CAS No	EC No	Name	[% weight]	Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]
7446-08-4	231-194-7	Selenium Dioxide	< 5	Acute Tox. 2 / Acute Tox. 3 / Aquatic Chronic 1 / STOT RE 2 / Skin Corr. 1B / Eye Dam. 1 / Aquatic Acute 1

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of inhalation

Ensure fresh air.

In case of skin contact

In case of contact with skin wash off immediately with plenty of water.

Seek medical treatment immediately.

In case of eye contact

In case of contact with eyes rinse with plenty of water carefully. In the event of persistent symptoms seek medical treatment.

In case of ingestion

Give activated charcoal.

If swallowed seek medical advice immediately and show the doctor packing or label.

Give plenty of water to drink in small sips.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

No information available.

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

Additional information

Product is incombustible

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

6.3. Methods and material for containment and cleaning up

Dilute with water.

Neutralize with sodium carbonate or slaked lime.

6.4. Reference to other sections

No information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

General protective measures

Avoid contact with eyes and skin

Hygiene measures

At work do not eat, drink, smoke or take drugs.

Wash soiled clothing immediately.

Keep away from food and drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in original container.

Further information on storage conditions

Recommended storage temperature: 20°C.

Storage group 12

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit values (91/322/EEC, 2000/39/EC, 2006/15/EC or 2009/161/EU)

CAS No	Name	Code	[mg/m3]	[ppm]	Remark
7697-37-2	Nitric Acid	Short-term	2,6	1	

8.2. Exposure controls

Respiratory protection

Short term: filter apparatus, Filter A/P2

Hand protection

In case of spray contact glove material nitril rubber, layer thickness >0.05 mm

The choice of a suitable glove depends not only on the material, but also on other quality characteristics and varies from manufacturer to manufacturer.

Since the product is a preparation of several substances, the resistance of glove materials is not predictable and must therefore be checked before use.

Gloves (acid-resistant)

The material of the gloves has to be impermeable and consistent for the substance. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

safety goggles



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

liquid

Colour

dark green, clear

Odour

dull, somewhat metallic

Odour threshold

not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not determined				
Boiling temperature / boiling range	not determined				
Melting point / Freezing point	not determined				
Flash point	not determined				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	1,1 g/cm ³	20 °C		1013 mbar	
Vapour density	not determined				
Solubility in water					multimiscible
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

Oxidising properties

No information available.

Explosive properties

No information available.

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Heating over 110°C

10.5. Incompatible materials

Substances to avoid

Reactions with reducing agents.

Reactions with alkalies.

10.6. Hazardous decomposition products

< 100°C splitting off smoke of nitric acid

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	3 - 5 mg/kg	rat (male / female)		Indication refers to selenium dioxide.
Skin irritation	irritant / corrosive			
Eye irritation	irritant / corrosive			

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

11 01 98*

Name of waste

other wastes containing hazardous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for packaging

Barrel: return by DSD (Dualistic System Germany)

Recommended cleansing agent

Water

SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1760	1760	1760
14.2. UN proper shipping name	Corrosive liquid, n.o.s. (Nitric Acid)	Corrosive liquid, n.o.s. (Nitric Acid)	Corrosive liquid, n.o.s. (Nitric Acid)
14.3. Transport hazard class(es)	8	8	8
14.4. Packing group	III	III	III
14.5. Environmental hazards	No	No	No

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

Land and inland navigation transport ADR/RID

Hazard label(s) 8

tunnel restriction code 3(E)

Classification code C9



ES WIRKT.

Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)
revision 04.05.2022 (GB) Version 4.0
Schnellbrünierung

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class 3

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Further information

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 3.9

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.